

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/781,925	02/12/2001	Karen Capers	2001P07468US01

Response To OFFICIAL ACTION PURSUANT TO 37 CFR  
1.111

EXAMINER Ilwoo Park
------------------------

ART UNIT	PAGE NUMBER
----------	-------------

2182

RECEIVED  
CENTRAL FAX CENTER

DEC 15 2006

## AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Previously Presented) A method for providing an integrated communication server, comprising:
  - receiving a selection of at least one service option;
  - receiving capacity information for at least one type of subscriber;
  - automatically applying a specified set of rules to produce a result set based on the service option selection and the capacity information;
  - automatically determining that one or more network elements are to be included in the integrated communication server based on the result set; and
  - automatically determining configuration parameters for the one or more network elements based on the result set.
2. (Original) The method of Claim 1, further comprising:
  - receiving provisioning information based on the result set; and
  - provisioning each of the network elements based on the provisioning information.
3. (Previously Presented) The method of Claim 2, further comprising registering each of the network elements when the network elements are provisioned successfully.
4. (Original) The method of Claim 2, further comprising storing the provisioning information.
5. (Original) The method of Claim 1, further comprising storing the result set.
6. (Previously Presented) The method of Claim 1, wherein the step of automatically determining configuration parameters comprises automatically locating the network elements at

BEST AVAILABLE COPY

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/781,925	02/12/2001	Karen Capers	2001P07466US01

Response To **OFFICIAL ACTION PURSUANT TO 37 CFR**  
**1.111**

EXAMINER Ilwoo Park	
ART UNIT	PAGE NUMBER
2182	6

a location remote from the integrated communication server and automatically downloading the network elements from the remote location.

7. (Original) The method of Claim 1, further comprising:  
receiving authentication information from an operator;  
determining whether the operator is authenticated based on the authentication information;

presenting management options when the operator is authenticated, the management options comprising network element provisioning; and  
receiving a selection of network element provisioning.

8. (Previously Presented) A system for providing an integrated communication server, comprising:

a computer-processable medium; and  
logic stored on the computer-processable medium, the logic operable to receive a selection of at least one service option, to receive capacity information for at least one type of subscriber, to apply a specified set of rules to produce a result set based on the service option selection and the capacity information, determine that one or more network elements are to be included in the integrated communication server based on the result set, and to determine configuration parameters for one or more network elements based on the result set.

9. (Original) The system of Claim 8, the logic further operable to receive provisioning information based on the result set and to provision each of the network elements based on the provisioning information.

10. (Previously Presented) The system of Claim 9, the logic further operable to register each of the network elements when the network elements are provisioned successfully.

11. (Original) The system of Claim 9, the logic further operable to store the provisioning information.

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/781,925	02/12/2001	Karen Capers	2001P07466US01

Response To **OFFICIAL ACTION PURSUANT TO 37 CFR**  
**1.111**

EXAMINER	
Ilwoo Park	
ART UNIT	PAGE NUMBER
2182	7

12. (Original) The system of Claim 8, the logic further operable to store the result set.

13. (Original) The system of Claim 8, the logic further operable to determine configuration parameters by locating the network elements at a location remote from the integrated communication server and downloading the network elements from the remote location.

14. (Original) The system of Claim 8, the logic further operable to receive authentication information from an operator, to determine whether the operator is authenticated based on the authentication information, to present management options when the operator is authenticated, the management options comprising network element provisioning, and to receive a selection of network element provisioning.

15. (Previously Presented) A service engine for providing an integrated communication server (ICS), comprising a rule engine operable to receive service and capacity information, to determine which of a plurality of network elements to include in the ICS based on the service and capacity information, to determine configuration parameters for one or more network elements based on a result set, to locate the one or more network elements at a location remote from the ICS, and download the network elements from the remote location to a central server associated with the service engine.

16. (Original) The service engine of Claim 15, further comprising a manager operable to receive provisioning information based on the result set and to provision each of the network elements based on the provisioning information.

17. (Original) The service engine of Claim 16, further comprising:  
a repository operable to provide persistent data storage for the service engine;

and

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/781,925	02/12/2001	Karen Capers	2001P07468US01

Response To **OFFICIAL ACTION PURSUANT TO 37 CFR**  
**1.111**

EXAMINER Ilwoo Park	
ART UNIT	PAGE NUMBER
2182	8

data services operable to receive requests for data stored in the repository and to locate and retrieve the data from the repository and operable to receive data for storage in the service engine and to store the data in the repository.

18. (Original) The service engine of Claim 17, the repository further operable to store the provisioning information and the result set.

19. (Original) The service engine of Claim 16, further comprising a master agent operable to maintain a list of registered network elements for the ICS, each of the network elements operable to be registered with the master agent when the network element is provisioned successfully.

20. (Canceled)

21. (Previously Presented) A method for providing an integrated communication server, comprising:

- receiving authentication information from an operator;
- determining whether the operator is authenticated based on the authentication information;
- presenting management options when the operator is authenticated, the management options comprising network element provisioning;
- receiving a selection of network element provisioning;
- receiving a selection of at least one service option;
- receiving capacity information for at least one type of subscriber;
- automatically applying a specified set of rules to produce a result set based on the service option selection and the capacity information;
- automatically determining configuration parameters for one or more network elements based on the result set by locating the network elements at a location remote from the integrated communication server and downloading the network elements from the remote location;

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
09/781,925	02/12/2001	Karen Capers	2001P07466U501

Response To **OFFICIAL ACTION PURSUANT TO 37 CFR**  
**1.111**

EXAMINER
Ilwoo Park

ART UNIT	PAGE NUMBER
----------	-------------

2182

9

receiving provisioning information based on the result set;  
automatically provisioning each of the network elements based on the provisioning information;  
automatically registering each of the network elements when the network element is provisioned successfully; and  
automatically storing the provisioning information and the result set.